



Shadow SideQuest Tech Package

STAGE PLOT

VOCAL 1 /
VIOLIN
(MONI DI)
KELLY

VOCAL 2 / GUITAR /
UKE
(MONI DI)
AGATHA

LEAD GUITAR /
VOCAL 3
(MONO DI)
STEVE

INPUT LIST

- 3 × vocals
- 2 × guitars
- 1 × electric violin
- 1 × electric ukulele/mandocaster

PA REQUIREMENTS

- Full-range PA appropriate for venue capacity
- Subwoofers appropriate for venue and program
- Digital mixing console with sufficient inputs and outputs
- 3 independent monitor/IEM sends
- 3 XLR outputs for band-provided Coda Digital IEM systems
- Stagebox/snake as required

- Experienced FOH engineer preferred

MONITOR/IEM SETUP

Shadow SideQuest provides Coda Digital IEM systems for all three members. No floor wedges are required.

MIXING OPTION

Shadow SideQuest can provide a Soundcraft Ui24R digital mixer for band-controlled FOH and IEM mixing when appropriate.

Venue PA, amplification, and appropriate connections remain the responsibility of the venue.

We are happy to work with the venue's existing FOH system and engineer.

SETUP/TEARDOWN REQUIREMENTS

- Minimum 30 minutes for full band setup and soundcheck
- Minimum 30 minutes between load-in and performance when a full soundcheck is not required
- Approximately 30 minutes for teardown and load-out
- Accessible load-in/loading area preferred
- Parking/loading access for band vehicles preferred
- Adequate performing space for three musicians
- Power access on stage

- Venue-provided PA and sound equipment should be fully set up and operational before band load-in whenever possible
- The band will handle all setup and teardown of its own instruments, backline, IEM equipment, and personal gear.
- Please advise us in advance of any venue-specific load-in, parking, elevator, stair, security, or access requirements.

CONTACT PERSON

STEVE WERTHNER: (518) 242-6064
stephenwerthner@gmail.com